# Shock Equipment Taken From Unit

electric shock treatment has wir ams alleging gross his the hospital superintendent, been taken away from the dealing with a patient who adolescent unit at Lake Alice of the shock equipment of the shock equ

The equipment has been pital admitted that it had consultation with me decided whether to administer and a consultation with me decided whether to administer and a consultation with me decided whether to administer and a consultation with me decided whether to administer and a consultation with me decided whether the consultation with the co electro-convulsive therapy to that ECT should be given at "In general they will fol-children put before him by offered in those circuma 13-year-old Niuean boy and only one place in the hospillow the procedure they had a large and tal. It will now be administed to the shocks to parts of the sho

### Some Weeks Ago

at the centre of a controversy plied: "The medical superintendent and of professional judgment since authorities at the hos-intendent at Lieuwitz at Lieuwitz at Lieuwitz at the hos-intendent at Lieuwitz at Lieuwitz at the hos-intendent at Lieuwitz at the hos-intendent at the hos-intendent at Lieuwitz at the hos-intendent at the hos-inten been used to administer that ROW should be given been used to administer that ROW should be given been used to administer that ROW should be given been used to administer that ROW should be given being the doctors concerned.

mission u' "."

, Asked the reasons, he re- Mirams said the decision on a medical superintendent and of professional judgment

Herald Medical Corres and Discrimination (Acord) convulsive therapy would be to administer electro-convul-painful shock with the inten-chiatrist he could not kind were given with pun Equipment used for giving put new evidence before Dr under the direct control of sive therapy only under tion of it being painful," he imagine using electric tive intent.

adolescent unit at Lake Alice Psychiatric Hospital, the interview with the Herald would mean that in future arise when you have con-Health Department director of mental health, Dr S. W. P. Mirams, revealed yesterday.

The equipment has been removed some weeks ago.

Asked whether the change Mirams said. "Difficulties when you have continued arise when you have continued in future arise when you have continued in the case of the allegation of sedative was very often and looking into. If it is true, the appropriate thing to use the appropriate the appropriate thing the appropriate the appropriate the appropr without an anaesthetic, Dr form of treatment, between a number of considerations

only one place in the hospi-low the procedure they nor- Acord alleged that the ECT stances."

On Wednesday, the Auck- of the change would be that with the Herald, Dr Pug- "If this is true it would therapy, Dr Mirams said, said it would be quite in- Classified 14, 15 - SECTION 4

electric shock treatment has Mirams alleging "gross mist the hospital superintendent, anaesthetic.) said. "The pain would not be shocks himself as aversion However, if a doctor was

some other children without tered only in the central ad- the ECT with an anaesthe- unit had been used to ad- shocks to parts of the body Hospital had also been given the use of an anaesthetic. tic," he added.

minister electric shocks to other than the head might forced injections of painful Recing Dr Mirams said the effect (In an earlier interview children's legs. be classed as aversion sedative drugs, Dr Mirams Bus. News 11-14 Classified 1-1

Any suggestion that ECT

applied to the brain could be justified as aversion therapy would be unthink-

Commenting on allegations Weather electric that children at Lake Alice Editorials

cept in very unusual situa-unmanageable, some form

## ON OTHER

SECTION 1 SECTION 2 6 Features 1-5, A TV, Radio 8. 9 Classified 7-1 SECTION 3

land Committee on Racism all administration of electro-mire said it was his policy involve deliberately giving a but as a former child psy-defensible if injections of this Crossword 16 Classified 1-1 N2 Herald 1415177